

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	(interposer interconnect) same pliable with resistive	US-PGPUB; USPAT	OR	ON	2005/03/01 14:31
S2	25	pliable with resistive	US-PGPUB; USPAT	OR	ON	2005/02/27 19:23
S3	18	resistive adj pin	US-PGPUB; USPAT	OR	ON	2005/02/27 19:23
S4	30	("1770839" "2716737" "3277424" "4002396" "4117291" "4510553").PN. OR ("4747783").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/27 19:35
S5	8	("4138604" "4165560" "4747783" "5015207" "5083928" "5129143").PN. OR ("5208978").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/27 19:41
S6	27	("1966873" "2530284" "2544495" "2572426" "3184242" "3774918" "3842194" "3871664" "4031546").PN. OR ("4165560").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/27 19:43
S7	15	("4443053" "4606589" "4721484" "4776807" "4983134" "5002507" "5015207").PN. OR ("5083928").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/27 19:47
S8	30	("1770839" "2716737" "3277424" "4002396" "4117291" "4510553").PN. OR ("4747783").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/27 19:49
S9	158	pliable with heater	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/27 19:50
S10	2	pliable adj heater	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/27 19:50
S11	6	resistive adj connector	USPAT	OR	OFF	2005/02/27 19:54
S12	304	resistive adj contact	USPAT	OR	OFF	2005/02/27 19:59
S13	26	resistive adj terminal	USPAT	OR	OFF	2005/02/27 19:57
S14	1	resistive adj contact adj pin	USPAT	OR	OFF	2005/02/27 19:54
S15	0	soft adj pin with resistive	USPAT	OR	OFF	2005/02/27 19:57
S16	2	soft adj contact with resistive	USPAT	OR	OFF	2005/02/27 19:58
S17	1	elasto\$5 adj contact with resistive	USPAT	OR	OFF	2005/02/27 19:58
S19	10	resistive adj contact same ohm	US-PGPUB; USPAT	OR	ON	2005/02/27 19:59
S20	1307	(interposer interconnect) same ohm	US-PGPUB; USPAT	OR	ON	2005/02/27 20:02

S21	874	(interposer interconnect) same resist\$5 with ohm	US-PGPUB; USPAT	OR	ON	2005/02/27 20:03
S22	287	(interposer interconnect) with resist\$5 with ohm	US-PGPUB; USPAT	OR	ON	2005/02/27 20:04
S23	0	(interposer interconnect) with resist\$5 with five adj ohm	US-PGPUB; USPAT	OR	ON	2005/02/27 20:03
S24	0	(interposer interconnect) with resist\$5 with more adj ohm	US-PGPUB; USPAT	OR	ON	2005/02/27 20:03
S25	1	(interposer interconnect) with resist\$5 with more near ohm	US-PGPUB; USPAT	OR	ON	2005/02/27 20:04
S26	13	S22 and "324"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/27 20:05
S27	14	S22 and "439"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/27 20:19
S28	85	ohm adj connector	US-PGPUB; USPAT	OR	ON	2005/02/27 20:33
S29	188	439/49.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/27 20:33
S30	67	439/45.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/27 20:34
S31	13	439/45.ccls. and resis\$4	US-PGPUB; USPAT	OR	ON	2005/02/27 20:37
S32	24	439/46-48.ccls. and resis\$4	US-PGPUB; USPAT	OR	ON	2005/02/27 20:40
S33	2	439/169.ccls. and resis\$4	US-PGPUB; USPAT	OR	ON	2005/02/27 20:40
S34	29	439/169.ccls.	US-PGPUB; USPAT	OR	ON	2005/02/27 20:40
S35	1	"20050012514"	US-PGPUB; USPAT	OR	ON	2005/03/01 14:31
S36	4568	(carbon adj2 polymer) and (contact pin)	US-PGPUB; USPAT	OR	ON	2005/03/01 14:32
S37	38	(carbon adj2 polymer) and (contact near2 pin)	US-PGPUB; USPAT	OR	ON	2005/03/01 16:17
S38	9	"5548268"	US-PGPUB; USPAT	OR	ON	2005/03/01 14:52
S39	2	S38 and carbon	US-PGPUB; USPAT	OR	ON	2005/03/01 14:54
S40	10	high adj resistance adj pin	US-PGPUB; USPAT	OR	ON	2005/03/01 14:54
S41	20	carbon adj pin	US-PGPUB; USPAT	OR	ON	2005/03/01 15:07
S42	39	carbon near2 interconnect	US-PGPUB; USPAT	OR	ON	2005/03/01 15:07
S43	0	carbon near2 interposer	US-PGPUB; USPAT	OR	ON	2005/03/01 15:07

S44	10	("3222654" "3453602" "4945257" "4949064").PN. OR ("5315162").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/01 16:14
S45	193	(carbon adj2 polymer) with (contact pin)	US-PGPUB; USPAT	OR	ON	2005/03/01 16:27
S46	2	(carbon adj2 polymer) with pin	US-PGPUB; USPAT	OR	ON	2005/03/01 16:18
S47	191	(carbon adj2 polymer) with contact	US-PGPUB; USPAT	OR	ON	2005/03/01 16:27
S48	5	((("6249135") or ("6097198") or ("6264476") or ("3971610") or ("4360858")).PN.	USPAT	OR	OFF	2005/04/02 17:29
S49	1	("20020108778").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/04 09:00
S50	22	carbon with ohm with (pin contact)	US-PGPUB; USPAT	OR	OFF	2005/04/04 09:14
S51	24	"6108212"	US-PGPUB; USPAT	OR	OFF	2005/04/04 09:15
S52	7	ohm adj pin	USPAT	OR	OFF	2005/07/22 18:25
S53	7	resistive adj contact same ohm	USPAT	OR	ON	2005/07/22 18:27
S54	2323	"439"/\$.ccls. and (interposer interconnect) and resist\$5	USPAT	OR	ON	2005/07/22 18:28
S55	202	"439"/\$.ccls. and (interposer interconnect) and resist\$5 and ohm	USPAT	OR	ON	2005/07/22 19:30
S56	3	((("5109596") or ("5109956") or ("6108212")).PN.	USPAT	OR	OFF	2005/07/22 19:30
S57	13	("4524240" "5205741" "5282312" "5548268" "5603847" "5654971" "5708569" "5859538" "6127837" "6255602" "6462570" "6661248" "6825578").PN.	USPAT	OR	OFF	2006/01/04 18:43
S58	1	"5109956".pn.	USPAT	OR	OFF	2006/01/04 18:51
S59	1	"5109596".pn.	USPAT	OR	OFF	2006/01/04 18:51